

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	6	"mohiuddin-ahmed".in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	ADJ	OFF	2009/01/21 13:05
S2	11	dao-son.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	ADJ	OFF	2009/01/21 13:05
S3	0	"mohiuddin-ahmed".in. and dao-son.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	ADJ	OFF	2009/01/21 13:05
S4	7289	hybrid near2 network\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	ADJ	OFF	2009/01/21 13:23
S5	2969	709/238.ccls. and (@ad < "20030203" or @rlad < "20030203")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	ADJ	OFF	2009/01/21 13:25
S6	29	709/238.ccls. and hybrid near2 network\$1 and (@ad < "20030203" or @rlad < "20030203")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	ADJ	OFF	2009/01/21 13:25
S7	30232	(ad-hoc or ad near1 hoc)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	ADJ	OFF	2009/01/22 09:21
S8	126493	gateway\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	ADJ	OFF	2009/01/22 09:40
S9	52	(ad-hoc or ad near1 hoc) with (hybrid near2 network\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	ADJ	OFF	2009/01/22 10:30
S10	2165	(assign\$5 or designat\$4 or appoint\$5) near2 gateway\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	ADJ	OFF	2009/01/22 10:30

S11	2	(ad-hoc or ad near1 hoc) with (hybrid near2 network\$1) and ((assign\$5 or designat\$4 or appoint\$5) near2 gateway\$1) and (@ad < "20030203" or @rlad < "20030203")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	ADJ	OFF	2009/01/22 10:31
S12	11	(ad-hoc or ad near1 hoc) with (hybrid near2 network\$1) and gateway\$1 and (@ad < "20030203" or @rlad < "20030203")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	ADJ	OFF	2009/01/22 10:37
S13	4	(ad-hoc or ad near1 hoc) with (hybrid near2 network\$1) and ((assign\$5 or designat\$4 or appoint\$5) with gateway\$1) and (@ad < "20030203" or @rlad < "20030203")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	ADJ	OFF	2009/01/22 10:37
S15	45	(ad-hoc or ad near1 hoc) and (hybrid near2 network\$1) and ((assign\$5 or designat\$4 or appoint\$5) with gateway\$1) and (@ad < "20030203" or @rlad < "20030203")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	ADJ	OFF	2009/01/22 10:39
S16	8048083	assign\$5 or designat\$4 or appoint\$5 or select \$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	ADJ	OFF	2009/01/22 10:42

S18	53	((ad-hoc or ad near1 hoc) and (hybrid near2 network\$1) and (assign\$5 or designat\$4 or appoint\$5 or select \$4) with (gateway \$1) and (@ad < "20030203" or @rlad < "20030203"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	ADJ	OFF	2009/01/22 10:58
S19	9	((hybrid near2 network\$1) and (assign\$5 or designat\$4 or appoint\$5 or select \$4) with (gateway \$1)).ab. and (@ad < "20030203" or @rlad < "20030203"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	ADJ	OFF	2009/01/22 11:02
S20	152	((hybrid near2 network\$1) and ((assign\$5 or designat\$4 or appoint\$5) with gateway\$1) and (@ad < "20030203" or @rlad < "20030203"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	ADJ	OFF	2009/01/22 14:19
S21	100	709/238.ccls. and ((assign\$5 or designat\$4 or appoint\$5) with gateway\$1) and (@ad < "20030203" or @rlad < "20030203"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	ADJ	OFF	2009/01/22 14:21
S24	3107	hybrid network\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	ADJ	OFF	2009/01/23 08:55

S25	45	hybrid network\$1 and (assign\$5 or designat\$4 or appoint\$5 or select\$4) near2 gateway\$1 and (@ad < "20030203" or @rlad < "20030203")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	ADJ	OFF	2009/01/23 08:55
S28	70	hybrid network\$1 and fault tolera\$4 and (@ad < "20030203" or @rlad < "20030203")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	ADJ	OFF	2009/01/23 09:02
S30	2527	(multiple or redundan\$4) near2 gateway\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	ADJ	OFF	2009/01/23 09:09
S31	7298	hybrid near2 network\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	ADJ	OFF	2009/01/23 09:11
S32	60	S31 and S30 and (@ad < "20030203" or @rlad < "20030203")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	ADJ	OFF	2009/01/23 09:11
S33	3	(hybrid network\$1 and (ad-hoc or ad near1 hoc).ab. and (@ad < "20030203" or @rlad < "20030203")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	ADJ	OFF	2009/01/23 09:14
S35	440	Leader elect\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	ADJ	OFF	2009/01/26 17:00
S37	8	(leader near2 elect\$4) and (ping\$3 or query\$3) with leader\$1 and (@ad < "20030203" or @rlad < "20030203")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	ADJ	OFF	2009/01/26 17:30

S38	15	(leader near2 elect \$4) and (hop-count or hop count) and (@ad < "20030203" or @rlad < "20030203")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	ADJ	OFF	2009/01/26 17:47
S41	15	(leader near2 elect \$4) and (hop-count or hop count) and (@ad < "20030203" or @rlad < "20030203")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	ADJ	OFF	2009/01/26 17:49
S42	306	ping\$3 near2 (gateway\$1 or leader or access near1 point or router) and (@ad < "20030203" or @rlad < "20030203")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	ADJ	OFF	2009/01/27 15:01
S43	4	ping\$3 near2 (gateway\$1 or leader or access near1 point or router) and leader near2 elect\$3 and (@ad < "20030203" or @rlad < "20030203")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	ADJ	OFF	2009/01/27 15:06
S44	68	ping\$3 near2 (gateway\$1 or leader or access near1 point or router) and (leader or gateway or access near1 point or router) near2 (elect\$3 or assign \$5) and (@ad < "20030203" or @rlad < "20030203")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	ADJ	OFF	2009/01/27 15:07

S45	75	ping\$3 near2 (gateway\$1 or leader or access near1 point or router) and (gateway\$1 or leader or access near1 point or router) near2 (fail \$4 or offline or off-line or off near1 line or inactive) and (@ad < "20030203" or @rlad < "20030203")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	ADJ	OFF	2009/01/27 15:18
S46	734	fault near1 toleran \$2 and (ad-hoc or ad near1 hoc) and (@ad < "20030203" or @rlad < "20030203")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	ADJ	OFF	2009/01/27 17:14
S47	19	709/238.ccls. and fault near1 toleran \$2 and (ad-hoc or ad near1 hoc) and (@ad < "20030203" or @rlad < "20030203")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	ADJ	OFF	2009/01/27 17:14
S48	7	(select\$3 or assign \$5 or choos\$3) near2 gateway\$1 and (compar\$5) near2 (hop\$1 or hop near1 count or hop-count\$1) and (@ad < "20030203" or @rlad < "20030203")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	ADJ	OFF	2009/01/28 17:12
S49	23	(select\$3 or assign \$5 or choos\$3) near2 gateway\$1 and (compar\$5) near2 (ping\$3 or latenc\$3) and (@ad < "20030203" or @rlad < "20030203")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	ADJ	OFF	2009/01/28 17:59

S50	11	(select\$3 or assign \$5 or choos\$3) near2 gateway\$1 with (ping\$3 or latenc\$3) and (@ad < "20030203" or @rlad < "20030203")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	ADJ	OFF	2009/01/28 18:02
S51	27	(select\$3 or assign \$5 or choos\$3) near2 gateway\$1 same (ping\$3 or latenc\$3) and (@ad < "20030203" or @rlad < "20030203")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	ADJ	OFF	2009/01/28 18:09
S52	445	(select\$3 or assign \$5 or choos\$3) near2 gateway\$1 and (ping\$3 or latenc\$3) and (@ad < "20030203" or @rlad < "20030203")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	ADJ	OFF	2009/01/28 18:09
S53	27	709/238.ccls. and (select\$3 or assign \$5 or choos\$3) near2 gateway\$1 and (ping\$3 or latenc\$3) and (@ad < "20030203" or @rlad < "20030203")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	ADJ	OFF	2009/01/28 18:10
S54	89	(select\$3 or assign \$5 or choos\$3) near2 gateway\$1 and (ping\$3 or latenc\$3) near2 gateway\$1 and (@ad < "20030203" or @rlad < "20030203")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	ADJ	OFF	2009/01/28 18:12

S55	49	(select\$3 or assign \$5 or choos\$3) near2 gateway\$1 and vot\$3 and (@ad < "20030203" or @rlad < "20030203")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	ADJ	OFF	2009/01/28 18:57
S56	0	(select\$3 or assign \$5 or choos\$3) near2 gateway\$1 same vot\$3 and (@ad < "20030203" or @rlad < "20030203")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	ADJ	OFF	2009/01/28 18:57
S57	0	709/238.ccls. and (vot\$3) near2 gateway\$1 and (@ad < "20030203" or @rlad < "20030203")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	ADJ	OFF	2009/01/28 18:58
S58	0	709/238.ccls. and (vot\$3) with gateway\$1 and (@ad < "20030203" or @rlad < "20030203")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	ADJ	OFF	2009/01/28 18:58
S59	22	(vot\$3) with gateway\$1 and (@ad < "20030203" or @rlad < "20030203")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	ADJ	OFF	2009/01/28 18:58
S60	48	leader near2 elect \$3 and vot\$3 and (@ad < "20030203" or @rlad < "20030203")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	ADJ	OFF	2009/01/28 19:01
S61	2	"5,768,538"..did.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	ADJ	OFF	2009/01/28 19:02
S62	67	byzantine and vot \$3 and (@ad < "20030203" or @rlad < "20030203")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	ADJ	OFF	2009/01/29 07:37



S63	12	byzantine and vot \$3 same respond\$3 and (@ad < "20030203" or @rlad < "20030203")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	ADJ	OFF	2009/01/29 07:39
S64	3	byzantine and leader near2 election and (@ad < "20030203" or @rlad < "20030203")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	ADJ	OFF	2009/01/29 07:43
S65	38	byzantine and verif \$7 and vot\$3 and (@ad < "20030203" or @rlad < "20030203")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	ADJ	OFF	2009/01/29 07:44
S66	17	byzantine and verif \$7 same vot\$3 and (@ad < "20030203" or @rlad < "20030203")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	ADJ	OFF	2009/01/29 07:44
S67	29	byzantine and verif \$7 with node\$1 and (@ad < "20030203" or @rlad < "20030203")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	ADJ	OFF	2009/01/29 07:47
S69	221	byzantine and detect\$4 and (@ad < "20030203" or @rlad < "20030203")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	ADJ	OFF	2009/01/29 07:50
S70	19	byzantine and (two- third\$1 or two near1 third\$1 or "2/3") and (@ad < "20030203" or @rlad < "20030203")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	ADJ	OFF	2009/01/29 07:50
S71	0	byzantine and (two- third\$1 or two near1 third\$1 or "2/3") same transm \$6 (@ad < "20030203" or @rlad < "20030203")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	ADJ	OFF	2009/01/29 07:51

S72	1	byzantine and (two-third\$1 or two near1 third\$1 or "2/3") same transm \$6 and (@ad < "20030203" or @rlad < "20030203")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	ADJ	OFF	2009/01/29 07:51
S73	4547	(two-third\$1 or two near1 third\$1 or "2/3") same transm \$6 and (@ad < "20030203" or @rlad < "20030203")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	ADJ	OFF	2009/01/29 07:52
S74	2466	(two-third\$1 or two near1 third\$1 or "2/3") with transm \$6 and (@ad < "20030203" or @rlad < "20030203")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	ADJ	OFF	2009/01/29 07:53
S76	2	709/238.ccls. and (two-third\$1 or two near1 third\$1 or "2/3") with transm \$6 and (@ad < "20030203" or @rlad < "20030203")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	ADJ	OFF	2009/01/29 07:53
S77	33	active near2 node and (two-third\$1 or two near1 third\$1 or "2/3") with transm\$6 and (@ad < "20030203" or @rlad < "20030203")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	ADJ	OFF	2009/01/29 07:54
S79	3	fault-toleran\$2 and (two-third\$1 or two near1 third\$1 or "2/3") with transm \$6 and (@ad < "20030203" or @rlad < "20030203")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	ADJ	OFF	2009/01/29 07:56

S85	3	leader near2 elect \$4 and byzantine near2 agreement and (@ad < "20030203" or @rlad < "20030203")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	ADJ	OFF	2009/01/29 08:01
S89	28	abort same (two-third\$1 or two near1 third\$1 or "2/3") and (@ad < "20030203" or @rlad < "20030203")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	ADJ	OFF	2009/01/29 08:06
S90	117	(abort or cancel) same (two-third\$1 or two near1 third \$1 or "2/3") and (@ad < "20030203" or @rlad < "20030203")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	ADJ	OFF	2009/01/29 08:06
S92	4	byzantine and (fail \$4) same (two-third \$1 or two near1 third\$1 or "2/3") and (@ad < "20030203" or @rlad < "20030203")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	ADJ	OFF	2009/01/29 08:07
S93	12	byzantine near2 (recogni\$4 or discover\$3 or detect \$4) and (@ad < "20030203" or @rlad < "20030203")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	ADJ	OFF	2009/01/29 08:09
S96	299	(abort or cancel\$7 or hault\$3 or interrupt\$3) with vot\$3 and (@ad < "20030203" or @rlad < "20030203")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	ADJ	OFF	2009/01/29 08:11
S97	4	byzantine and (abort or cancel\$7 or hault\$3 or interrupt\$3) with vot\$3 and (@ad < "20030203" or @rlad < "20030203")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	ADJ	OFF	2009/01/29 08:12

S98	15	(abort or cancel\$7 or halt\$3 or interrupt\$3) same leader near1 elect \$3 and (@ad < "20030203" or @rlad < "20030203")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	ADJ	OFF	2009/01/29 08:21
S99	7	(detect\$4 or discover\$3) near2 byzantine and (@ad < "20030203" or @rlad < "20030203")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	ADJ	OFF	2009/01/29 08:32
S102	3	leader near1 elect \$3 and byzantine near2 (agreement \$1) and (@ad < "20030203" or @rlad < "20030203")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	ADJ	OFF	2009/01/29 08:34
S103	48	(hybrid near2 network) and (ad near1 hoc or ad-hoc) and ((select\$4 or assign\$5 or choos\$3) with gateway\$1) and (@ad < "20050927" or @rlad < "20050927")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	ADJ	OFF	2009/02/02 13:27
S104	15374	mobile near2 ad near1 hoc near2 network or MANET or ad-hoc	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	ADJ	OFF	2009/02/02 14:12

2/3/2009 9:36:31 AM

H:\Docket\2004\10772138 - Method and apparatus for increasing fault tolerance for cross-layer communication in networks\10772138 - 1st.wsp